

Product Data Sheet

LED nášlapné svítidlo

**6W LED Step Light Black
Body 3000K, VT-856**


Order number

SKU8348

Unit EAN13 code

3800157633383
General information

Brand/Manufacturer	V-TAC
Material	Aluminum
Dimmable	Ne
Energy efficiency class (canceled regulation!)	A+
Nominal voltage (V)	100 - 240 V
Degree of protection (IP)	IP54
Název položky	LED nášlapné svítidlo
Skupina produktu V-TAC	VT-856

Electrical characteristics

Nominal wattage	6 W
Frequency	50 - 60 Hz

Working conditions

Temperature	-0,444444444 °C
-------------	------------------------

Mounting methods/application

Dimensions of installation hole	195 x 46 mm
---------------------------------	--------------------

Physical characteristics

Type of chip	SMD
Dimensions (mm)	210 x 65 x 60 mm
Počet ks v balení	1
Tvar V-TAC	Rectangle
Barva tělesa V-TAC	Black

Počet kusů v kartonu 50

EuP Parameters

Number of maximal switching cycles	15000
Rated service life	20000 h
Turn-on time	0.001 sec (instant on) s

Additional information

Note	Sensor
------	--------

Lighting characteristics

Luminous flux	240 lm
Colour temperature	3000 K
Radiation angle	12 °
Colour rendering index CRI	70 Ra
Barva světla	Warm White

Safety information

Product certification	CE, EMC, ROHS
-----------------------	---------------

Energetic characteristics

Lamp Power factor (PF)	>0.6
Lamp efficacy	40 lm/W

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice

Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o. Všechna práva vyhrazena.