



Product Data Sheet

LED svítidlo vestavné

EMILIA LED RETROFIT 4x60cm 7L IP20

Order number

910380604

Unit EAN13 code

8595209948298


General information

Model/Description	LED svítidlo
Finish	Jednostranné zapojení napájení LED
Brand/Manufacturer	NBB
Material	Plech
Lamp type	Výměnné LED
Degree of protection (IP)	IP20
Built-in depth	100 mm
Lamp type	LED
Type of luminaire	Mřížkové svítidlo
Nominal voltage (V)	230 - 240 V
Degree of protection (IP)	IP20
Suitable for number of lamps	4
Suitable for built-in mounting	Ano
Suitable for ceiling mounting	Ano
Název položky	LED EMILIA RETROFIT 4x60cm IP20

Electrical characteristics

Nominal wattage	- W
Lamp power	18 W
Circuit	Ostatní
Voltage type	AC
Lamp power at multiwatt	Ostatní

Working conditions

Operating frequency	50 - 60 Hz
---------------------	------------

Burning position	Horizontální
Installation height (m)	2 - 5 m
Application	Všeobecné osvětlování
Lamp holder type	G13
Fire resistance "F"	Ano
Fit for monitor workplace	Ano

Mounting methods/application

Mounting method	Do minerálních podhledů a sádrokartonu
-----------------	--

Physical characteristics

Number of lamella	7
Finish diffuzor	Leštěná parabolická mřížka
Type of connector	Klip terminál
Dimensions (mm)	595 x 595 x 80 mm
Packing method	1
Width	595 mm
Reflector	Vysoce leštěný
Colour housing	Bílá
Weight netto	3890 g
Type of grid	Vysoce leštěná
Built-in width	600 mm
Length	595 mm
Height/depth (mm)	80 mm
Material housing	Ocelový plech
Built-in length	600 mm
Material of grid	Aluminium
Impact strength	IK06
Type of surface	Lesklý
Diameter lamp	26 mm
Built-in height/depth	100 mm

EuP Parameters

Average lifetime of the light source (h)	- h
Luminaire maintenance factor	1,0

Additional information

With lamp	Ne
-----------	----

Lighting characteristics

Anti-glare limiting UGR lengthwise	20
Anti-glare limiting UGR crosswise	20
Direct-/indirect proportion separately controllable	Ano
Light outlet	Přímé
Light sharing	Symetrické

Safety information

Insulation class	Třída I
Safety instructions	www.nbb.cz
Protection class	Ochranným vodičem

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice

Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.