



Product Data Sheet

LED svítidlo do vyšších výšek(highbay) UFO

HBS-150W-O UFO 85-305V 5000K LED IP65
130lm/W



Order number

253230010

Unit EAN13 code

8595209941213

General information

Lamp type	Ostatní
Nominal voltage (V)	230 - 240 V
Degree of protection (IP)	IP65
Suitable for number of lamps	1
Název položky	HBS-150W-O UFO 85-305V 5000K LED IP65

Electrical characteristics

Lamp power	150 W
Voltage type	AC
Nominal current (A)	A

Working conditions

Type of control gear	Elektronický nestmívatelný
Fire resistance "D"	Ano
Type of dimming	Nestmívatelné

Mounting methods/application

Mounting method	Závěsná
-----------------	----------------

Physical characteristics

Type of chip	Nichia
Outer diameter	300 mm
Colour housing	Černá
Diameter	300 mm
Ball-proof	Ano

Height/depth (mm)	200 mm
Material housing	Aluminium
Material reflector	Aluminium
Impact strength	IK10

EuP Parameters

Rated service life	30000 h
--------------------	---------

Additional information

With lamp	Ano
-----------	-----

Lighting characteristics

Light Colour	chladná denní
Colour temperature	5000 K
Colour rendering index CRI	80 Ra
Direct-/indirect proportion separately controllable	Ano
Light outlet	Přímé
Light sharing	Široký úhel
Colour temperature	5500 - 6000 K
Effective luminous flux	16500 lm
Colour	Bílá

Safety information

Protection class	Ochranným vodičem
------------------	-------------------

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice

Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice (LVD)

LED light sources ranks among electrotechnical products powered by mains 230-240V. For safety reasons, it is recommended that the assembly, connection or disassembly be carried out by a person with an appropriate electrotechnical qualification. When installing or disassembling, it is advisable to disconnect the power supply otherwise there may be a risk of electric shock. Only use the product in the luminaires designed for this type of light source. The manufacturer can not be held responsible for damages resulting from inappropriate connection, connection to an unsuitable distribution system, or damages resulting from mechanical damage to the light source. Observe the operating values on the product. Do not expose the product to inappropriate weathering or high temperatures unless it is expressly stated that the product is intended to be operated under these conditions. When installing, wiring or disassembling, follow the generally accepted safety precautions.

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.