




NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí

Product Data Sheet

LED svítidlo přisazené

VIOLA LED RETROFIT 230-240V PAR IP20 1x120 cm



Order number

910396602

Unit EAN13 code

8595209926142

General information

Model/Description	LED svítidlo
Finish	Kancelářské s leštěnou mřížkou
Brand/Manufacturer	NBB
Material	Body steel 0,5mm/Louver aluminium 0,3 mm
Lamp type	T8
Degree of protection (IP)	IP20
Dimmable	Ne
Suitable for suspended mounting	Ano
Lamp type	LED
Type of luminaire	Mřížkové svítidlo
Nominal voltage (V)	230 - 240 V
Degree of protection (IP)	IP20
Suitable for number of lamps	1
Suitable for wall mounting	Ne
Název položky	VIOLA LED RETROFIT 230-240V PAR IP20 1x120 cm

Electrical characteristics

Type of Voltage	AC/DC
Lamp power at multiwatt	Ostatní

Working conditions

Operating frequency	50 - 60 Hz
Burning position	Horizontální
Installation height (m)	3 - 5 m
Installation on flammable surfaces	Ano

Application	Všeobecné osvětlování
Lamp holder type	G13
Ambient temperature	-20/+40 °C
Suitable for light line configuration	Ano
Suitable for emergency lighting	Ano
Fire resistance "F"	Ano
Fit for monitor workplace	Ano
Direct-/indirect proportion separately switchable	Ano
Mounting methods/application	
Mounting method	Přisazené
Physical characteristics	
Number of lamella	12
Type of connector	3P
Dimensions (mm)	1220 x 185 x 85 mm
Packing method	1
Type of grille	Parabolická
Back reflector	Ne
Width	185 mm
Reflector	Vysoce leštěný
Colour housing	Bílá
Weight netto	4200 g
Type of grid	Vysoce leštěná
Length	1220 mm
Height/depth (mm)	85 mm
Material housing	Ocelový plech
Material of grid	Aluminium
Type of surface	Lesklý
EuP Parameters	
Equivalent fluorescent lamp	50 W
Additional information	
With lamp	Ano
Lighting characteristics	
Colour temperature	K
Anti-glare limiting UGR lengthwise	20
Anti-glare limiting UGR crosswise	20
Direct-/indirect proportion separately controllable	Ano
Light outlet	Přímé
Light sharing	Symetrické
Safety information	
Insulation class	Třída I
Safety instructions	www.nbb.cz

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice

Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o. Všechna práva vyhrazena.