



NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí



Product Data Sheet

LED žárovka

**LQ6 LED C35 230-240V
6W E14 2700K**

Order number

248000546

Unit EAN13 code

8595209943446



General information

| | |
|--|--|
| Model/Description | LED světelný zdroj |
| Brand/Manufacturer | NBB |
| Lamp type | B35 |
| Colour | Bílá |
| Socket | E14 |
| Dimmable | Ne |
| Energy efficiency class (canceled regulation!) | A+ |
| Nominal voltage (V) | 230 - 240 V |
| Název položky | LQ6 LED B35 230-240V 6W E14 2700K |
| Třída energetické účinnosti podle 2019/2015 | F |

Electrical characteristics

| | |
|---------------------|--------------|
| Nominal current | 57 mA |
| Lamp power | 6 W |
| Voltage type | AC/DC |
| With remote control | Ne |

Working conditions

| | |
|---------------------------------|-------------------|
| Suitable for frequent switching | Ano |
| Ambient temperature | -10/+40 °C |

Physical characteristics

| | |
|------------|-----------------|
| Diameter | 36 mm |
| Lamp shape | Svíčková |
| Length | 103 mm |

Type of glass/cover

Matný

EuP Parameters

| | |
|--------------------------------------|--------------------|
| Rated service life | 20000 h |
| Energy consumption (AGGR) | 6 kWh/1000h |
| Equivalent compact fluorescent lamps | 8 W |
| GLS replacement | 41 W |
| Ekvivalent halogenové žárovky | 35 W |

Lighting characteristics

| | |
|----------------------------|------------------------------|
| Light Colour | teplá bílá komfort |
| Luminous flux | 527 lm |
| Colour temperature | 2700 K |
| Colour rendering index CRI | 80 Ra |
| Maximal intensity (Cd) | 52,58 Cd |
| Colour of light | 827 |
| Colour controllable (RGB) | Ne |
| Light colour category | Velmi teplá <3000K |
| Beam angle Degrees (°) | 230 ° |

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice


Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

Technical drawing



NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.