



Product Data Sheet

LED signálka barevná žárovka modrá

2LED T18x46mm 24V
0.5W E14 BLUE

Order number

264024000

Unit EAN13 code

8595209913036


General information

Model/Description	Světelný zdroj s LED čipy
Finish	Trubková
Brand/Manufacturer	NBB
Material	Sklo/glass
Nominal service life (h)	25000 h
Colour	Modrá
Socket	E14
Dimmable	Ano
Energy efficiency class (canceled regulation!)	A++
Nominal voltage (V)	24 V
Degree of protection (IP)	IP20
Dimmable by conventional dimmers	NE
Název položky	LQ LED T18 24V 0.5W E14 MODRÁ NBB
Třída energetické účinnosti podle 2019/2015	G

Electrical characteristics

Nominal wattage	0,5 W
Operating voltage (V)	22 - 26 V
Type of Voltage	AC/DC
Direct connection to the mains	Ano
Nominal current	21 mA
Lamp power	0,5 W
Voltage type	AC/DC
With remote control	Ne
Nominal current (A)	0,021 A

Total power (W) (light fitting)	1 W
Jmenovité napětí	24 V

Working conditions

Maximum permitted storage temperature	80 °C
Protection against overvoltage	Ne
Suitable for domestic use.	Ne
Application	Dekorativní účely
Suitable for frequent switching	Ano
Ambient temperature	60 °C

Physical characteristics

Type of chip	SMD 5050
Dimensions (mm)	Ø18 x 47 mm
Packing method	50 - 1
Weight netto	6 g
Diameter	18 mm
Lamp shape	Lineární
Length	47 mm
Type of glass/cover	Čirý
Number of LEDs	2

EuP Parameters

Average Lifetime B50 (h)	25000 h
The rate of premature failures	<1 %
Rated service life	25000 h
Energy consumption (AGGR)	0,5 kWh/1000h
Survival Factor	50
GLS replacement	18 W

Lighting characteristics

Light Colour	modrá
Luminous flux	40 lm
Colour temperature	10000 K
Colour rendering index CRI	62,4 Ra
Colour of light	018
Colour controllable (RGB)	Ne
Beam angle Degrees (°)	330 °
Chromaticity coordinates x	0.159
Chromaticity coordinates y	0.187

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Environmental characteristics

Mercury content	0,00 mg
-----------------	---------

Energetic characteristics

Lamp displacement factor (DF)	0,95
-------------------------------	------

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice

Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

LED light source blue for decorative purposes in low voltage applications.

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright © 2024 NBB Bohemia s.r.o. Všechna práva vyhrazena.