



NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí

Product Data Sheet

LED žárovka

**LQ6 LED G45 230-240V
6W E14 2700K**

Order number

248000547

Unit EAN13 code

8595209943453



General information

Model/Description	LED světelný zdroj pro všeobecné osvětlování
Brand/Manufacturer	NBB
Lamp type	G45
Colour	Bílá
Socket	E14
Dimmable	Ne
Energy efficiency class (canceled regulation!)	A+
Nominal voltage (V)	230 - 240 V
Název položky	LQ6 LED G45 230-240V 6W E14 2700K
Třída energetické účinnosti podle 2019/2015	G

Electrical characteristics

Nominal current	57 mA
Lamp power	6 W
Voltage type	AC/DC
With remote control	Ne

Working conditions

Suitable for frequent switching	Ano
Ambient temperature	-10/+40 °C

Physical characteristics

Diameter	45 mm
Lamp shape	Kapková
Length	72 mm

Type of glass/cover

Matný

EuP Parameters

Rated service life	20000 h
Energy consumption (AGGR)	6 kWh/1000h
Equivalent compact fluorescent lamps	8 W
GLS replacement	41 W
Ekvivalent halogenové žárovky	35 W

Lighting characteristics

Light Colour	teplá bílá komfort
Luminous flux	480 lm
Colour temperature	2700 K
Colour rendering index CRI	80 Ra
Maximal intensity (Cd)	40,08 Cd
Colour of light	827
Colour controllable (RGB)	Ne
Light colour category	Velmi teplá <3000K
Beam angle Degrees (°)	300 °
Chromaticity coordinates x	0,435
Chromaticity coordinates y	0,405

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice


Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

Technical drawing



NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.