



NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí

Product Data Sheet

Žárovka pro světlomet

**R5W 24V 5W BA15d clear
LIMA**



Order number

901220031

Unit EAN13 code

8595209951656

General information

Model/Description	Automobilová žárovka
Finish	čirá
Brand/Manufacturer	LIMA
Nominal service life (h)	1500 h
Nominal voltage (V)	24 V
Colour	Bílá
Socket	BA15d
Standard indication (ECE)	R5W
Nominal voltage (V)	24 V
Lamp voltage	24 - 25 V
Název položky	R5W 24V 5W BA15d clear LIMA

Electrical characteristics

Nominal wattage	5 W
Operating voltage (V)	24 - 25 V
Technology	Žárovka
Lamp power filament 1	5 W
Nominal current (A)	0,21 A

Working conditions

Burning position	Libovolná
Suitable for rail traffic	Ne
Suitable for moped	Ne
Suitable for motorbike	Ne
Suitable for bicycle	Ne

Suitable for vessel	Ne
Suitable for head light passenger car	Ne
Suitable for head light truck	Ne
Suitable for other lighting passenger car	Ne
Suitable for other lighting truck	Ano
Suitable for planes	Ne
Suitable for forklifts	Ne

Physical characteristics

Dimensions (mm)	ø19 x 37 mm mm
Packing method	krabička 10ks
Weight gross	8 g
Total lenght	37 mm
Diameter	19 mm

EuP Parameters

Average Lifetime B50 (h)	1500 h
Rated service life	1500 h

Lighting characteristics

Luminous flux	60 lm
Colour temperature	2850 K
Number of filaments	1
Light output	100 %

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Energetic characteristics



Lamp efficacy	12 lm/W
---------------	---------

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Popis

Technical drawing



NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.