



Product Data Sheet

Žárovka pro světlomet

**H1 12V 55W P14,5s
PLATINUM**



Order number

901010200

Unit EAN13 code

8595209929501

General information

Model/Description	Automobilová žárovka
Finish	PLATINUM
Brand/Manufacturer	LIMA
Lamp type	Halogenový
Nominal service life (h)	350 h
Nominal voltage (V)	12 V
Colour	Bílá
Socket	P14.5s
Standard indication (ECE)	H1
Nominal voltage (V)	12 V
Lamp voltage	12 - 13 V
Název položky	H1 12V 55W P14,5s PLATINUM LIMA box/2ks

Electrical characteristics

Nominal wattage	55 W
Operating voltage (V)	12 - 13 V
Type of Voltage	DC
Technology	Halogenová žárovka
Lamp power filament 1	55 W
Nominal current (A)	4,58 A

Working conditions

Bulb temperature (max.)	200 °C
Cap temperature (max.)	120 °C
Burning position	Horizontal +/- 20°

Application	Dopravní prostředky
Suitable for rail traffic	Ne
Suitable for moped	Ne
Suitable for motorbike	Ano
Suitable for bicycle	Ne
Suitable for vessel	Ne
Suitable for head light passenger car	Ano
Suitable for head light truck	Ano
Suitable for other lighting passenger car	Ne
Suitable for other lighting truck	Ne
Suitable for planes	Ne
Suitable for forklifts	Ne

Physical characteristics

Dimensions (mm)	Ø8,5 x 62,5 mm
Packing method	Box 2ks
Weight gross	84 g
Total length	63 mm
Diameter	9 mm

EuP Parameters

Average Lifetime B50 (h)	350 h
Rated service life	350 h

Lighting characteristics

Luminous flux	1500 lm
Colour temperature	6000 K
Number of filaments	1
Light output	100 %

Radiation in the UV range

UV protect	Ano
------------	-----

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Environmental characteristics

Mercury content	0,00 mg
-----------------	---------

Energetic characteristics

Lamp efficacy	28 lm/W
---------------	---------

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Popis

