



## Product Data Sheet

Ozdobná žárovka

# CROCO CANDLE LAMP 40W E14 GOLD



Order number

**350042000**

Unit EAN13 code

**8595209912428**

### General information

Model/Description	Žárovka
Finish	Ozdobná
Brand/Manufacturer	NBB
Lamp type	
Nominal service life (h)	2000 h
Shock-proof	
Krypton	
Nominal voltage (V)	230 - 240 V
Multi-coiled filament	
Dimmable by conventional dimmers	Ano
Název položky	CROCO CANDLE LAMP 40W E14 GOLD

### Electrical characteristics

Nominal wattage	40 W
Rated power (W)	40,0 W
Operating voltage (V)	220 - 240 V
Type of Voltage	AC/DC
Direct connection to the mains	Ano

### Working conditions

Bulb temperature (max.)	°C
Cap temperature (max.)	250 °C
Burning position	Libovolná
Suitable for domestic use.	Ano
Application	Všeobecné osvětlování/General lighting

Suitable for baking oven

Special application

### Physical characteristics

Dimensions (mm)	Ø35 x 98 mm
Packing method	1 - 10
Weight gross	g
Colour housing	
Weight netto	10 g
Total length	mm
Diameter	mm
Splitter protection	
Lamp shape	B35 Twisted Croco GOLD
Filament shape	Coil Coiled
Carbon filament	
Fuses	

### EuP Parameters

Average Lifetime B50 (h)	2000 h
Number of maximal switching cycles	>20.000
The rate of premature failures	<1 %
Rated service life	h

### Lighting characteristics

Luminous flux	390 lm
Colour rendering index CRI	100 Ra
Colour of light	
Beam angle Degrees (°)	°
Chromaticity coordinates x	
Chromaticity coordinates y	

### Safety information

Safety instructions	<a href="http://www.nbb.cz">www.nbb.cz</a>
---------------------	--

### Energetic characteristics

Lamp efficacy (lm/W)	lm/W
----------------------	------

### Lamp survival factor (LSF)

LSF after 1.000 hrs	80 %
LSF after 2.000 hrs	50 %

### Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

### Popis

Decorative candle lamps for general lighting.

