



**NBB Bohemia s.r.o.**

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí



## Product Data Sheet

Hrušková žárovka

**Pigmy lamp 230-240V  
25W E14 clear**

Order number

**369003000**

Unit EAN13 code

**4014501006146**



### General information

|  |                              |
|--|------------------------------|
| Model/Description                              | <b>Incandescent lamps</b>    |
| Finish   | <b>Hrušková/Pigmy</b>        |
| Brand/Manufacturer                             | <b>NBB</b>                   |
| Nominal service life (h)                       | <b>1000 h</b>                |
| Model  | <b>Čirá</b>                  |
| Socket   | <b>E14</b>                   |
| Energy efficiency class (canceled regulation!) | <b>E</b>                     |
| Shock-proof                                    | <b>Ne</b>                    |
| Krypton  | <b>Ne</b>                    |
| Nominal voltage (V)                            | <b>230 - 240 V</b>           |
| Multi-coiled filament                          | <b>Ano</b>                   |
| Lamp voltage                                   | <b>230 - 240 V</b>           |
| Dimmable by conventional dimmers               | <b>Ano</b>                   |
| Název položky                                  | <b>AH 240V 25W E14 CLEAR</b> |
| Třída energetické účinnosti podle 2019/2015    | <b>G</b>                     |

### Electrical characteristics

|                       |                    |
|-----------------------|--------------------|
| Nominal wattage       | <b>25 W</b>        |
| Rated power (W)       | <b>25,0 W</b>      |
| Operating voltage (V) | <b>220 - 240 V</b> |
| Type of Voltage       | <b>AC/DC</b>       |
| Nominal current       | <b>108 mA</b>      |
| Lamp power            | <b>25 W</b>        |
| Voltage type          | <b>AC/DC</b>       |
| Nominal current (A)   | <b>0,108 A</b>     |

|                                 |      |
|---------------------------------|------|
| Total power (W) (light fitting) | 25 W |
|---------------------------------|------|

### Working conditions

|                            |                       |
|----------------------------|-----------------------|
| Bulb temperature (max.)    | 150 °C                |
| Cap temperature (max.)     | 100 °C                |
| Burning position           | Libovolná             |
| Suitable for domestic use. | Ne                    |
| Application                | Elektrické spotřebiče |
| Suitable for baking oven   | Ne                    |
| Suitable for refrigerator  | Ano                   |
| Special application        | Ostatní               |

### Physical characteristics

|                     |             |
|---------------------|-------------|
| Dimensions (mm)     | Ø27 x 60 mm |
| Packing method      | 1 - 10      |
| Weight gross        | 28 g        |
| Weight netto        | 0,020 g     |
| Total lenght        | 60 mm       |
| Diameter            | 27 mm       |
| Splitter protection | Ne          |
| Lamp shape          | Hrušková    |
| Length              | 60 mm       |
| Carbon filament     | Ne          |
| Ring diameter       | 27 mm       |
| Fuses               | 1           |

### EuP Parameters

|                                |              |
|--------------------------------|--------------|
| Average Lifetime B50 (h)       | 1000 h       |
| The rate of premature failures | <1 %         |
| Rated service life             | 1000 h       |
| Energy consumption (AGGR)      | 25 kWh/1000h |

### Lighting characteristics

|                            |        |
|----------------------------|--------|
| Luminous flux              | 200 lm |
| Colour temperature         | 2580 K |
| Colour rendering index CRI | 100 Ra |
| Beam angle Degrees (°)     | 330 °  |
| Chromaticity coordinates x | 0,469  |
| Chromaticity coordinates y | 0,414  |

### Safety information

|                     |  |
|---------------------|--|
| Safety instructions | <a href="http://www.nbb.cz">www.nbb.cz</a> |
|---------------------|--|

### Energetic characteristics

|                               |      |
|-------------------------------|------|
| Lamp displacement factor (DF) | 1,00 |
|-------------------------------|------|

### Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

## Popis

Clear pigmy lamps for home appliances.

**NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí**  
<https://www.nbb.cz/en/> | [hotmail@nbb.cz](mailto:hotmail@nbb.cz)

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.