



Product Data Sheet

Otřesuvzdorná žárovka čirá

AGR 240V A55 25W E27
CLEAR NBB (INDUSTRY ONLY)



Order number

337001010

Unit EAN13 code

8595209911759

General information

Model/Description	Incandescent lamp
Finish	Žárovka otřesuvzdorná průmyslová
Brand/Manufacturer	NBB
Lamp type	A55
Nominal service life (h)	1000 h
Model	Čirá
Socket	E27
Energy efficiency class (canceled regulation!)	E
Shock-proof	Ano
Krypton	Ne
Nominal voltage (V)	230 - 240 V
Multi-coiled filament	Ne
Lamp voltage	230 - 240 V
Dimmable by conventional dimmers	Ano
Název položky	AGR 240V A55 25W E27 CLEAR NBB (POUZE PRŮMYSL)
Třída energetické účinnosti podle 2019/2015	G

Electrical characteristics

Nominal wattage	25 W
Rated power (W)	25 W
Operating voltage (V)	200 - 240 V
Endurance	AC 300V/30h +/-10% V
Type of Voltage	AC/DC
Lamp power	25 W
Nominal current (A)	0,12 A

Working conditions

Bulb temperature (max.)	200 °C
Cap temperature (max.)	150 °C
Burning position	Libovolná
Application	Všeobecné osvětlování
Suitable for baking oven	Ne
Suitable for refrigerator	Ne
Special application	Ostatní

Physical characteristics

Dimensions (mm)	Ø55 x 98 mm
Packing method	1 - 10
Weight gross	50 g
Weight netto	30 g
Total lenght	98 mm
Diameter	55 mm
Splitter protection	Ne
Lamp shape	Ostatní
Carbon filament	Ne
Number of filament supports	5

EuP Parameters

Average Lifetime B50 (h)	1000 h
The rate of premature failures	<2 %
Rated service life	1000 h
Energy consumption (AGGR)	25 kWh/1000h

Lighting characteristics

Color rendering	1A
Luminous flux	200 lm
Colour rendering index CRI	100 Ra

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Environmental characteristics

Mercury content	0,00 mg
-----------------	---------

Energetic characteristics

Lamp efficacy	8 lm/W
---------------	--------

Lamp survival factor (LSF)

LSF after 100 hrs	99,0 %
LSF after 1.000 hrs	50,0 %

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate

interpretation of the content on this site.

Popis

Industrial shock resistance incandescent lamps for general lighting. Lifespan 1.000 h.

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.