



NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí



Product Data Sheet

Reflektorová žárovka

**Reflector lamp R50 240V
40W E14(only for
Industry)**



Order number

352002000

Unit EAN13 code

8595209904058

General information

Model/Description	Směrová žárovka
Finish	Incandescentní žárovka argonová
Brand/Manufacturer	NBB
Nominal service life (h)	1000 h
Socket	E14
Energy efficiency class (canceled regulation!)	E
Nominal voltage (V)	240 V
Classification PAR	Ostatní
Lamp voltage	220 - 240 V
Dimmable by conventional dimmers	Ano
Název položky	R50 240V 40W E14 FROSTED NBB (POUZE PRŮMYSL)
Třída energetické účinnosti podle 2019/2015	G

Electrical characteristics

Rated power (W)	40 W
Operating voltage (V)	220 - 240 V
Endurance	300V/30 h V
Type of Voltage	AC/DC
Lamp power	40 W

Working conditions

Cap temperature (max.)	250 °C
Burning position	Libovolná
Suitable for domestic use.	Ne
Application	Všeobecné osvětlování

Neodym lamp	Ne
-------------	----

Special application	Ostatní
---------------------	---------

Physical characteristics

Dimensions (mm)	51x86 mm
Packing method	1 - 10
Weight gross	30 g
Weight netto	18 g
Total lenght	86 mm
Diameter	51 mm
Reflector type	Úzký
Fuses	1

EuP Parameters

Average Lifetime B50 (h)	1000 h
Number of maximal switching cycles	20000
The rate of premature failures	1 %
Rated service life	1000 h
Energy consumption (AGGR)	40 kWh/1000h

Lighting characteristics

Luminous intensity	340 Cd
Colour temperature	2800 K
Colour rendering index CRI	100 Ra
Maximal intensity (Cd)	1634 Cd
Reflector colour	Stříbrná
Cool beam	Ne
Effective luminous flux	350 lm
Beam angle Degrees (°)	30 °
Chromaticity coordinates x	0,465
Chromaticity coordinates y	0,413

Safety information

Safety instructions	www.nbb.cz
---------------------	--------------------------------------------

Lamp survival factor (LSF)

LSF after 1.000 hrs	50 %
---------------------	------

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Popis

Reflector frosted lamps for general lighting.

