



Product Data Sheet

Středovoltová žárovka čirá

**AGM 60V A55 40W E27
CLEAR**



Order number

339033000

Unit EAN13 code

8595209901637

General information

Model/Description	Žárovka/Incandescent lamps
Finish	Čirá/Clear
Brand/Manufacturer	NBB
Nominal service life (h)	1000 h
Nominal voltage (V)	60 V
Model	Čirá
Socket	E27
Energy efficiency class (canceled regulation!)	E
Shock-proof	Ne
Krypton	Ne
Nominal voltage (V)	60 V
Multi-coiled filament	Ano
Lamp voltage	55 - 60 V
Dimmable by conventional dimmers	Ano
Název položky	AGM 60V A55 40W E27 CLEAR

Electrical characteristics

Nominal wattage	40 W
Rated power (W)	40 W
Operating voltage (V)	58 - 62 V
Type of Voltage	AC/DC
Direct connection to the mains	Ne
Lamp power	40 W
Voltage type	AC/DC
Nominal current (A)	0,67 A

Working conditions

Bulb temperature (max.)	200 °C
Cap temperature (max.)	150 °C
Burning position	Libovolná
Application	průmyslové aplikace
Suitable for baking oven	Ne
Suitable for refrigerator	Ne
Special application	Ostatní

Physical characteristics

Dimensions (mm)	Ø55 x 98 mm
Packing method	1 - 100
Weight gross	30 g
Weight netto	20 g
Total lenght	98 mm
Diameter	55 mm
Splitter protection	Ne
Lamp shape	Ostatní
Carbon filament	Ne
Number of filament supports	5

EuP Parameters

Average Lifetime B50 (h)	1000 h
The rate of premature failures	<2 %
Rated service life	1000 h
Energy consumption (AGGR)	40 kWh/1000h

Lighting characteristics

Color rendering	1A
Luminous flux	480 lm
Colour rendering index CRI	100 Ra

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Environmental characteristics

Mercury content	0,00 mg
-----------------	---------

Energetic characteristics

Lamp efficacy	12 lm/W
---------------	---------

Lamp survival factor (LSF)

LSF after 100 hrs	99,0 %
LSF after 1.000 hrs	50,0 %

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate

interpretation of the content on this site.

Popis

Industrial 60V incandescent lamps for general lighting. Lifespan 1.000 h.

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.