



NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí



Product Data Sheet

Reflektorová žárovka

**Reflector lamp R63 240V
60W E27**

Order number

354002000

Unit EAN13 code

8595209904157



General information

Model/Description	Směrová žárovka
Finish	Incandescentní žárovka argonová
Brand/Manufacturer	NBB
Lamp type	R63
Nominal service life (h)	1000 h
Socket	E27
Energy efficiency class (canceled regulation!)	E
Nominal voltage (V)	230 - 240 V
Classification PAR	Ostatní
Lamp voltage	220 - 240 V
Dimmable by conventional dimmers	Ano
Název položky	R63 240V 60W E27 30D FROSTED NBB (POUZE PRŮMYSL)
Třída energetické účinnosti podle 2019/2015	G

Electrical characteristics

Nominal wattage	60 W
Rated power (W)	60,0 W
Operating voltage (V)	220 - 240 V
Endurance	300V/30 h V
Type of Voltage	AC/DC
Lamp power	60 W
Nominal current (A)	0,260 A

Working conditions

Dimmable range	0 - 100 %
----------------	------------------

Bulb temperature (max.)	150 °C
Cap temperature (max.)	250 °C
Burning position	Libovolná
Suitable for domestic use.	Ne
Application	Všeobecné osvětlování
Neodym lamp	Ne
Special application	Ostatní

Physical characteristics

Dimensions (mm)	Ø63 x 107 mm
Packing method	1 - 10
Weight gross	50 g
Weight netto	30 g
Total lenght	107 mm
Diameter	63 mm
Reflector type	Úzký
Fuses	1

EuP Parameters

Average Lifetime B50 (h)	1000 h
The rate of premature failures	1 %
Rated service life	1000 h
Energy consumption (AGGR)	40 kWh/1000h

Lighting characteristics

Dominant wavelength	760 nm
Colour rendering index CRI	100 Ra
Maximal intensity (Cd)	3250 Cd
Reflector colour	Stříbrná
Cool beam	Ne
Effective luminous flux	700 lm
Beam angle Degrees (°)	30 °
Chromaticity coordinates x	0,465
Chromaticity coordinates y	0,413

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Environmental characteristics

Mercury content	0,00 mg
-----------------	---------

Energetic characteristics

Lamp Power factor (PF)	1,00
------------------------	------

Lamp survival factor (LSF)

LSF after 1.000 hrs	50,0 %
---------------------	--------

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Popis

Reflector frosted lamps for general lighting.

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.