



Product Data Sheet

Příslušenství k LED osvětlení

CCT controller DC12-24V 2x5A + white controller + 3AAA (blister)

Order number

903001066

Unit EAN13 code

8595209918642


General information

Specifications	LED Controler
Model/Description	LED ovladač
Brand/Manufacturer	NBB
Material	plast
Dimmable	ANO
Nominal voltage (V)	12-24 V
Název položky	LED CCT controller DC12-24V 2x5A + ovladač bílý +3AAA (blist

Electrical characteristics

Control up to	2 kanály
Nominal wattage	2x 60(12V)-120(24) W
Rated power (W)	2 x (60-120 W
Type of Voltage	DC
Nominal current (A)	2 x 5 A

Working conditions

Learning Key	Ne
Dimmable range	0-100% %
Working temperature of the ballast body -Tc max	50°C °C
Radar frequency	434-868 Mhz GHz
Burning position	universal
Application	Zapínání/vypínání, stmívání LED zesilovače
Ambient temperature	50 °C

Physical characteristics

Packing method	1
Weight netto	100 g g

EuP Parameters

The rate of premature failures	<1% %
The product to be used as (LED) light source controller	ano

Additional information

Note	jedná se o technické údaje přijímače!
------	---------------------------------------

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice

Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.