



NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí



Product Data Sheet

RF vysílač

Portable RF controller 6 zones RGB (W)



Order number

SR-2819

Unit EAN13 code

8595209919212

General information

Model/Description	Ovladač (vysílač) pro řízení LED osvětlení
Finish	Přenosný
Brand/Manufacturer	SUNRICHER
Material	Plast/Plastic
Colour	Černá
Nominal voltage (V)	4,5 V
Number of channels	8
Transmission range	25 m
Název položky	RF přenosný ovladač 6 zón RGB(W)

Electrical characteristics

Type of Voltage	DC
-----------------	-----------

Working conditions

Number of separate zones	8 zón
Function	Vypínač/stmívač Switch/dimmer
Dimmable range	0 - 100 %
Radar frequency	0,434 GHz
Burning position	Libovolná
Maxim detection range	25 m
Application	Vysílač-ovladač barev RGB
Halogen free	Ano
Material quality	Termoplast
Suitable for movement sensor	Ne
Signal transmission	Radio-frekvenční

Manual transmitter	Ano
Wall-mounted transmitter	Ne
Suitable for switch	Ano
Suitable for dimmer	Ano
Dálkové ovládání	Ano
Suitable for venetian shutter switch	Ne
Okenní vysílač	Ne
Suitable for indication element	Ne

Mounting methods/application

Mounting method	Ostatní
-----------------	---------

Physical characteristics

Dimensions (mm)	48x 140 x 16 mm
Surface protection	Bez úpravy
Weight netto	50 g
Material	Plast
RAL-number (akin)	9005
Transparent	Ne
Type of surface	Matný

EuP Parameters

The product to be used as (LED) light source controller	Ano
---	-----

Additional information

Note	RF/WiFi/Bluetooth
------	-------------------

Safety information

Safety instructions	www.nbb.cz
---------------------	--

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Notice

Under the scope of Act 185/2001 Coll. as amended, this product is included in waste group 5 (light sources and luminaires). In view of the harmful effects of mercury on the environment and on human health, the creators of group 5 waste (consumers) are obliged to dispose of used light sources for recycling. Do not throw this product into mixed waste after use. Take it to the nearest store, collection yard, or other designated location for free recycling. You can also dispose of the used products for recycling in our sales outlets or in collection points of collective recycling systems or municipal collection yards. Ecological recycling of waste electrical and electronic equipment is ensured through the RETELA collective system (www.retela.cz).

Notice

Single LED chip failure, luminous flux deviation +/- 10% as well as chromaticity deviation +/- 150K are in compliance with applicable standards and are not a reason for complaint.

Popis

