



NBB Bohemia s.r.o.

Výroba a prodej osvětlovací techniky, Sídliště 693, 407 22 Benešov nad Ploučnicí



Product Data Sheet

Bodové svítidlo

**Spot fixture 230-240V
MILANO CHROME**



Order number

910000015

Unit EAN13 code

8595209918086

General information

Model/Description	Bodové svítidlo
Finish	Vestavné pevné
Brand/Manufacturer	NBB
Material	Kov/Metal
Lamp type	MR16, GU10
Degree of protection (IP)	IP20
Built-in depth	70 mm
Max. lamp power	50 W
With light sensor	Ne
Suitable for suspended mounting	Ne
Lamp type	LED
Nominal voltage (V)	0 - 50 V
Degree of protection (IP)	IP20
Suitable for number of lamps	1
Suitable for wall mounting	Ne
Suitable for built-in mounting	Ano
Control gear included	Ne
Suitable for surface mounting	Ne
Suitable for ceiling mounting	Ano
Název položky	Bodové svítidlo MILANO CH Max 50W IP20

Electrical characteristics

Nominal wattage	max 50 W
Operating voltage (V)	0 - 50 V
Type of Voltage	AC/DC

Voltage type	AC/DC
Suitable for lamp power	0 - 50 W
Lamp power at multiwatt	Ostatní
Nominal current (A)	2 A
System power	50 W
Total power (W) (light fitting)	max 50 W

Working conditions

Integrated driver	Ne
Light source is part of the fixture	Ne
Burning position	Libovolná
Suitable for domestic use.	Ano
Installation on flammable surfaces	Ano
Application	Všeobecné osvětlování
Lamp holder type	GU5.3
With movement sensor	Ne
Ambient temperature	-20/+50 °C
Fire resistance "D"	Ano
Fit for monitor workplace	Ano
Type of dimming	Ostatní
Emergency unit integrated	Ne
Filament test according to IEC 60695-2-10	Neuvedeno
Driver included	Ne

Mounting methods/application

Dimensions of installation hole	Ø65 mm
Mounting method	Vestavná

Physical characteristics

Dimensions (mm)	Ø80 x 28 mm
Packing method	1
Weight gross	71 g
Outer diameter	80 mm
Colour housing	Chrom
Weight netto	44 g
Built-in diameter	65 mm
Height/depth (mm)	28 mm
Material housing	Ocelový plech
Impact strength	IK10
Type of surface	Matný
Adjustability	Pevné nenastavitelné

Additional information

Note	Standardně dodáváno s patičí GU5,3
With lamp	Ne

Lighting characteristics

Light outlet	Přímé
Light sharing	Symetrické

Safety information

Safety instructions	www.nbb.cz
Protection class	Bezpečným napětím

Exclusion of liability

Changes to data are subject to prior notice. NBB Bohemia s.r.o. accepts no responsibility for damages caused by inaccurate interpretation of the content on this site.

Popis

Rigid Spot light for halogen bulbs and LED sources. CHROME finish, G5.3 or GU10 socket.

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.