



Product Data Sheet

LED panel/ LED mini panel/ LED premium panels

18W LED Premium Panel Downlight - Round Natural White, VT-1807



Order number

SKU4861

Unit EAN13 code

3800230629821

General information

Brand/Manufacturer	V-TAC
Material	Aluminum+PMMA+PS
Dimmable	Ne
Built-in depth	mm
Energy efficiency class (canceled regulation!)	A
Lamp type	LED
Nominal voltage (V)	200 - 240 V
Degree of protection (IP)	IP20
Suitable for built-in mounting	Ano
Název položky	LED panely/ LED mini panely/ LED premium panels
Skupina produktu V-TAC	VT-1807

Electrical characteristics

Nominal wattage	18 W
Voltage type	AC
Frequency	50 - 60 Hz

Working conditions

Ambient temperature	°C
Temperature	-0,44444444 °C

Mounting methods/application

Dimensions of installation hole	205 mm
Mounting method	Vestavná

Physical characteristics

Type of chip	SMD
Width	12 mm
Outer diameter	mm
Colour housing	Bílá
Weight netto	600 g
Diameter	225 mm
Built-in diameter	mm
Height/depth (mm)	mm
Material housing	Aluminium
Material cover	Opálový/Matný plast
Počet ks v balení	1
Tvar V-TAC	Round
Barva tělesa V-TAC	White
Počet kusů v kartonu	20

EuP Parameters

Number of maximal switching cycles	15000
Rated service life	20000 h
Turn-on time	0.001 sec (instant on) s
GLS replacement	72 W

Lighting characteristics

Luminous flux	1500 lm
Colour temperature	4000 K
Radiation angle	120 °
Colour rendering index CRI	80 Ra
Light outlet	Přímé
Light sharing	Symetrické
Radiation angle	Široký úhel 40-80°
Effective luminous flux	1500 lm
Barva světla	Natural White

Safety information

Protection class	Dvojitou izolací
Product certification	CE, EMC, ROHS

Energetic characteristics

Lamp Power factor (PF)	>0.7
Lamp efficacy	83 lm/W

Popis

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí
<https://www.nbb.cz/en/> | hotmail@nbb.cz

Copyright CE 2024 NBB Bohemia s.r.o Všechna práva vyhrazena.