



## Product Data Sheet

LED žárovka SAMSUNG čip - záruka 5 let

**LED Bulb - SAMSUNG  
CHIP 17W E27 A65  
Plastic White, VT-217**



Order number

**SKU164**

Unit EAN13 code

**3800157627771**

### General information

|  |   |
|--|---|
| Brand/Manufacturer                             | <b>V-TAC</b>                                  |
| Material                                       | <b>Thermoplastic</b>                          |
| Dimmable                                       | <b>Ne</b>                                     |
| Energy efficiency class (canceled regulation!) | <b>A+</b>                                     |
| Nominal voltage (V)                            | <b>220 - 240 V</b>                            |
| Degree of protection (IP)                      | <b>IP20</b>                                   |
| Název položky                                  | <b>LED žárovka SAMSUNG čip - záruka 5 let</b> |
| Skupina produktu V-TAC                         | <b>VT-217</b>                                 |

### Electrical characteristics

|                 |              |
|-----------------|--------------|
| Nominal wattage | <b>17 W</b>  |
| Frequency       | <b>50 Hz</b> |

### Working conditions

|             |                        |
|-------------|------------------------|
| Temperature | <b>-0,444444444 °C</b> |
|-------------|------------------------|

### Physical characteristics

|                      |                     |
|----------------------|---------------------|
| Type of chip         | <b>SAMSUNG Chip</b> |
| Height               | <b>134 mm</b>       |
| Diameter             | <b>66,5 mm</b>      |
| Lamp shape           | <b>A65</b>          |
| Počet ks v balení    | <b>1</b>            |
| Barva tělesa V-TAC   | <b>White</b>        |
| Počet kusů v kartonu | <b>100</b>          |

### EuP Parameters

|                                    |                          |
|------------------------------------|--------------------------|
| Number of maximal switching cycles | >15000                   |
| Rated service life                 | 30000 h                  |
| Turn-on time                       | 0.001 sec (instant on) s |
| GLS replacement                    | 100 W                    |

### Lighting characteristics

|                            |         |
|----------------------------|---------|
| Luminous flux              | 1521 lm |
| Colour temperature         | 6400 K  |
| Radiation angle            | 200 °   |
| Colour rendering index CRI | 80 Ra   |
| Barva světla               | White   |

### Safety information

|                       |               |
|-----------------------|---------------|
| Product certification | CE, EMC, ROHS |
|-----------------------|---------------|

### Energetic characteristics

|                        |         |
|------------------------|---------|
| Lamp Power factor (PF) | >0.5    |
| Lamp efficacy          | 89 lm/W |

### Lamp lumen maintenance factor (LLMF)

|   |      |
|---|------|
| Lumen maintenance factor at the end of the nominal life | 70 % |
|---|------|

### Popis

NBB Bohemia s.r.o., Sídliště 693, 407 22 Benešov nad Ploučnicí  
<https://www.nbb.cz/en/> | [hotmail@nbb.cz](mailto:hotmail@nbb.cz)

Copyright © 2024 NBB Bohemia s.r.o. Všechna práva vyhrazena.